



T-stukken

Derakane 411 (of equivalent)

Resin Type: Derakane 411





#	DN (mm)	Pmax (bar)	ID (mm)	OD (mm)	BD (mm)	r (mm)	CL (mm)	H (mm)	L (mm)	Article Number
1	25	16	25	38	35	6	30	130	220	TMS-25-16/PE
2	32	16	32	46	42	6	40	170	260	TMS-32-16/PE
3	40	16	40	56	50	6	50	175	300	TMS-40-16/PE
4	50	16	50	68	60	6	50	180	300	TMS-50-16/PE
5	65	16	65	83	75	6	50	190	300	TMS-65-16/PE
6	80	16	80	100	90	6	60	195	320	TMS-80-16/PE
7	100	10	100	116	110	8	60	205	400	TMS-100-10/PE
8	100	16	100	122	112	8	60	205	400	TMS-100-16/PE
9	125	10	125	143	135	10	80	270	480	TMS-125-10/PE
10	125	16	125	150	137	10	80	270	480	TMS-125-16/PE
11	150	10	150	170	161	10	80	290	560	TMS-150-10/PE
12	150	16	150	176	164	10	80	290	560	TMS-150-16/PE
13	200	10	200	226	212	10	100	320	600	TMS-200-10/PE
14	200	16	200	234	216	10	100	320	600	TMS-200-16/PE
15	250	10	250	280	264	10	100	350	660	TMS-250-10/PE
16	250	16	250	290	268	10	100	350	660	TMS-250-16/PE

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

21-05-2025

T-stukken
Derakane 411 (of equivalent)
Resin Type: Derakane 411



#	DN (mm)	Pmax (bar)	ID (mm)	OD (mm)	BD (mm)	r (mm)	CL (mm)	H (mm)	L (mm)	Article Number
17	300	10	300	336	316	10	100	400	750	TMS-300-10/PE
18	300	16	300	346	321	10	100	400	750	TMS-300-16/PE

Disclaimer

Whilst every care is taken to ensure that the information on this website is complete and accurate, the Rotec Composite Group BV cannot accept responsibility for any omissions or inaccuracies or for any consequences arising therefrom. By using this website, the user accepts the terms of this disclaimer.

21-05-2025